Create Your Life



Smad

SMAD ELECTRIC APPLIANCES CO.,LTD.

NO.2 Heilongjiang South Road, Shibei District, Qingdao, China

Website : https://www.smad.com.cn

Email: info@smad.com.cn
Tel: +86532-86101152
Fax: +86532-86101153









GLOBAL LEADING BRAND FOR COMMERCIAL APPLIANCES

2021 Commercial Display Cooler North America





Contents

Company Profile

Products

1 Display Cooler

1-9

Company Profile

Higher Quality Better Life

Qingdao Smad Electric Appliances Co., Ltd. (SMAD) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMAD has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

Company Culture

At SMAD we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

Our Vision

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

Social Responsibility

Smad is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance.

We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

Our Mission

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.

Display Cooler

CREATE YOUR LIFE

Global Leading Brand For High-end Commercial Appliances







DSS-78R(1R)
2.9
0-12°C (32-53.6 °F)
180W
R134a/R600a
4
16.7×15.9×38.6
18.9×17.7×40.7
79.4/84.9
238pcs

Display Cooler Four Sides Display





Model	DSS-270WBR	DSS-350WBR
Capacity(Cu.Ft.)	9.5	12.4
Temerature Range	0-10/12°C (32-50/53.6 °F)	0-10/12°C (32-50/53.6 °F)
Rated Input Power	475W	495W
Frigerant	R134a / R290	R134a / R290
Type Of Climate	4	4
Product Dimentions(inch)	25.6×25.6×59.1	33.5×25.6×59.1
Packaging Dimentions(inch)	29.5×29.5×65.0	37.4×29.5×65.0
Weight(Net/Gross)(lbs)	308.6/339.5	335.1/370.4
Loading (40HQ)	45pcs	36pcs





Model	DSS-400WBR	DSS-550WBR
Capacity(Cu.Ft.)	14.1	19.4
Temerature Range	0-10/12°C (32-50/53.6 °F)	0-10/12°C (32-50/53.6 °F)
Rated Input Power	495W	500W
Frigerant	R134a / R290	R134a / R290
Type Of Climate	4	4
Product Dimentions(inch)	25.6×25.6×75.1	33.5×25.6×75.1
Packaging Dimentions(inch)	29.5×29.5×81.1	37.4×29.5×81.1
Weight(Net/Gross)(lbs)	385.8/418.9	423.3/463.0
Loading (40HQ)	45pcs	36pcs
		. —————————————————————————————————————

Standing Display Refrigerator Display Cooler





Model	DDS-270WBR(Y)	DDS-370WBR(Y)
Capacity(Cu.Ft.)	10.4	14.1
Temerature Range	2-8°C (35.6-46.4 °F)	2-8°C (35.6-46.4 °F)
Rated Input Power	480W	480W
Frigerant	R134a / R290	R134a / R290
Type Of Climate	4	4
Product Dimentions(inch)	36.0×26.6×48.0	47.8×26.6×48.0
Packaging Dimentions(inch)	40.4×30.1×50.4	52.2×30.1×50.4
Weight(Net/Gross)(lbs)	297.6/339.5	341.7/414.5
Loading (40HQ)	68pcs	50pcs

2 / Commercial Display Cooler North America Commercial Display Cooler North America / 3





Model	DDS-470WBR(Y)	DMS-570WBR(Y)
Capacity(Cu.Ft.)	17.7	21.2
Temerature Range	2-8°C (35.6-46.4 °F)	2-8°C (35.6-46.4 °F)
Rated Input Power	500W	500W
Frigerant	R134a / R290	R134a / R290
Type Of Climate	4	4
Product Dimentions(inch)	59.6×26.6×48.0	71.5×26.6×48.0
Packaging Dimentions(inch)	63.0×29.3×50.0	74.8×29.3×50.0
Weight(Net/Gross)(lbs)	401.2/507.1	518.1/564.4
Loading (40HQ)	46pcs	36pcs





Model	DDS-271WBR(Y)	DDS-371WBR(Y)
Capacity(Cu.Ft.)	10.9	14.8
Temerature Range	2-8°C (35.6-46.4 °F)	2-8°C (35.6-46.4 °F)
Rated Input Power	525W	540W
Frigerant	R134a / R290	R134a / R290
Type Of Climate	4	4
Product Dimentions(inch)	36.4×26.8×55.9	48.2×26.8×55.9
Packaging Dimentions(inch)	41.3×31.1×62.6	53.1×31.1×62.6
Weight(Net/Gross)(lbs)	321.9/385.8	390.2/467.4
Loading (40HQ)	30pcs	23pcs





Model	DDS-471WBR(Y)	DMS-571WBR(Y)
Capacity(Cu.Ft.)	15.4	23.0
Temerature Range	0-12°C (32-53.6 °F)	0-12°C (32-53.6 °F)
Rated Input Power	500W	600W
Frigerant	R134a / R290	R134a / R290
Type Of Climate	4	4
Product Dimentions(inch)	60.0×26.8×55.9	71.6×26.8×55.9
Packaging Dimentions(inch)	63.0×29.3×57.9	74.8×29.3×57.9
Weight(Net/Gross)(lbs)	463.0/542.3	518.1/617.3
Loading (40HQ)	14pcs	14pcs

Countertop Displays Display Cooler





Model	DDS-100WR	DDS-105WBR
Capacity(Cu.Ft.)	3.5	3.5
Temerature Range	0-12°C (32-53.6 °F)	0-12°C (32-53.6 °F)
Rated Input Power	160W	160W
Frigerant	R134a / R600a	R134a / R600a
Type Of Climate	4	4
Product Dimentions(inch)	26.9×17.7×26.6	27.4×18.5×27.0
Packaging Dimentions(inch)	29.8×20.6×29.9	30.5×21.5×29.9
Weight(Net/Gross)(lbs)	86.2/93.7	117.9/125.7
Loading (40HQ)	189pcs	204pcs

4 / Commercial Display Cooler North America Commercial Display Cooler North America / 5





Model	DMS-125WBR	DDS-185WAR
Capacity(Cu.Ft.)	4.4	6.5
Temerature Range	0-12°C (32-53.6 °F)	0-12°C (32-53.6 °F)
Rated Input Power	230W	278W
- Frigerant	R134a / R600a	R134a / R600a
ype Of Climate	4	4
roduct Dimentions(inch)	27.6×22.4×27.0	41.3×25.4×25.2
Packaging Dimentions(inch)	30.4×24.7×28.9	44.5×28.0×27.6
Veight(Net/Gross)(lbs)	119.0/123.5	136.7/147.7
oading (40HQ)	162pcs	96pcs





Model	DDS-130WBR(2)	DDS-201WBR
Capacity(Cu.Ft.)	4.6	7.1
Temerature Range	0-12°C (32-53.6 °F)	0-12°C (32-53.6 °F)
Rated Input Power	230W	400W
Frigerant	R134a / R600a	R134a / R600a / R290
Type Of Climate	4	4
Product Dimentions(inch)	31.4×23.2×27.0	47.9×23.2×27.0
Packaging Dimentions(inch)	34.4×25.3×28.9	50.9×25.3×28.9
Weight(Net/Gross)(lbs)	145.5/149.9	186.3/191.8
Loading (40HQ)	132pcs	81pcs

Open Display Cooler





Model	DDS-120WBR	DDS-160WBR
Capacity(Cu.Ft.)	4.2	5.7
Temerature Range	0-12°C (32-53.6 °F)	0-12°C (32-53.6 °F)
Rated Input Power	230W	230W
Frigerant	R134a / R600a	R134a / R600a
Type Of Climate	4	4
Product Dimentions(inch)	702×568×686	34.6×22.4×27.0
Packaging Dimentions(inch)	773×627×735	37.4×24.7×28.9
Weight(Net/Gross)(lbs)	57/60	145.5/153.2
Loading (40HQ)	162pcs	126pcs





Model	DOS-180WBR	DOS-220WBR
Capacity(Cu.Ft.)	6.4	7.8
Temerature Range	2-10℃ (35.6-50 °F)	2-10°C (35.6-50 °F)
Rated Input Power	1340W	1340W
Frigerant	R404a / R290	R404a / R290
Type Of Climate	6	6
Product Dimentions(inch)	19.4×26.5×57.1	19.4×26.5×68.6
Packaging Dimentions(inch)	22.2×28.3×63.8	22.2×28.3×75.5
Weight(Net/Gross)(lbs)	180.8/199.5	211.6/233.7
Loading (40HQ)	64pcs	64pcs

6 / Commercial Display Cooler North America Commercial Display Cooler North America / 7





Model	DOS-250WBR	DOS-360WR
Capacity(Cu.Ft.)	8.8	12.7
Temerature Range	2-10°C (35.6-50 °F)	2-10°C (35.6-50 °F)
Rated Input Power	1340W	1400W
Frigerant	R404a/R290	R404a/R290
Type Of Climate	6	4
Product Dimentions(inch)	24.0×29.7×67.1	34.5×37.2×65.2
Packaging Dimentions(inch)	27.2×29.7×74.4	40.2×37.0×66.1
Weight(Net/Gross)(lbs)	220.1/242.5	275.6/319.7
Loading (40HQ)	44pcs	24pcs



Model	DOS-390WLR
Capacity(Cu.Ft.)	11.3
Temerature Range	2-10°C (35.6-50 °F)
Rated Input Power	1400W
Frigerant	R404a/R290
Type Of Climate	4
Product Dimentions(inch)	36.1×31.2×57.4
Packaging Dimentions(inch)	39.0×34.6×63.0
Weight(Net/Gross)(lbs)	287.7/337.3
Loading (40HQ)	24pcs

CREATE YOUR LIFE

Global Leading Brand For Highend Commercial Appliances

