

Create Your Life



Smad

SMAD ELECTRIC APPLIANCES CO.,LTD.
NO.2 Heilongjiang South Road, Shibei District, Qingdao, China

Website : <https://www.smad.com.cn>

Email : info@smad.com.cn

Tel : +86532-86101152

Fax : +86532-86101153



Smad

GLOBAL LEADING BRAND FOR
HOME APPLIANCES

2021 Wine Cooler and Thermoelectric Fridge





Contents

Company Profile

Products

1 Wine Cooler 1-4

2 Thermoelectric 5-11

Company Profile

Higher Quality Better Life

Qingdao Smad Electric Appliances Co., Ltd. (SMAD) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMAD has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

Company Culture

At SMAD we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

Our Vision

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

Social Responsibility

Smad is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance. We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

Our Mission

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.

Wine Cooler

CREATE YOUR LIFE

Global Leading Brand For High-end
Kitchen Appliances

1





Model	DSJ-23EB7	DSJ-25EB7(A)
Total Capacity	23 Liters / 8 Bottles	25 Liters / 8 Bottles
Voltage/Frequency	220-240V/50Hz; 110-127V/60Hz	220-240V/50Hz; 110-127V/60Hz
Cooling System	Thermoelectric	Thermoelectric
Temp. Range	8-18°C	8-18°C
Unit Dimension (mm)	410*495*270	252*500*450
Packing Dimension (mm)	455*535*305	290*540*479
Weight (kg)	8.7	9.5
Loading Quantity (40HQ)	1050	976



Model	DSJ-25EB7(C)	DSJ-35EB7(A)
Total Capacity	25 Liters / 8 Bottles	35 Liters / 12 Bottles
Voltage/Frequency	220-240V/50Hz; 110-127V/60Hz	220-240V/50Hz; 110-127V/60Hz
Cooling System	Thermoelectric	Thermoelectric
Temp. Range	8-18°C	12-18°C
Unit Dimension (mm)	252*500*450	252*500*635
Packing Dimension (mm)	290*540*479	290*540*664
Weight (kg)	9.5	13.5
Loading Quantity (40HQ)	976	700



Model	DSJ-35EB7(C)	DSJ-48EB7
Total Capacity	35 Liters / 12 Bottles	48 Liters / 16 Bottles
Voltage/Frequency	220-240V/50Hz; 110-127V/60Hz	220-240V/50Hz; 110-127V/60Hz
Cooling System	Thermoelectric	Thermoelectric
Temp. Range	12-18°C	12-18°C
Unit Dimension (mm)	252*500*635	430*485*515
Packing Dimension (mm)	290*540*664	460*515*535
Weight (kg)	13.5	15.3
Loading Quantity (40HQ)	700	568



Model	DSJ-50EB7	DSJ-70EB7
Total Capacity	48 Liters / 16 Bottles	70 Liters / 28 Bottles
Voltage/Frequency	220-240V/50Hz; 110-127V/60Hz	220-240V/50Hz; 110-127V/60Hz
Cooling System	Thermoelectric	Thermoelectric
Temp. Range	12-18°C	12-18°C
Unit Dimension (mm)	345*508*645	430*520*740
Packing Dimension (mm)	390*560*675	475*565*780
Weight (kg)	14.5	21.5
Loading Quantity (40HQ)	490	335



Model	DDS-69EB7(D)	DSJ-50B7
Total Capacity	68 Liters / 24 Bottles	50 Liters / 19 Bottles
Voltage/Frequency	220-240V/50Hz; 110-127V/60Hz	220-240V/50Hz; 110-120V/60Hz
Cooling System	Thermoelectric	Compressor
Temp. Range	8-18°C	5-18 °C
Unit Dimension (mm)	430*525*740	473*437*515
Packing Dimension (mm)	475*565*780	510*470*540
Weight (kg)	21.5	17.5
Loading Quantity (40HQ)	335	552



Model	DSJ-70B7	DSJ-98B7
Total Capacity	70 Liters / 24 Bottles	98 Liters / 34 Bottles
Voltage/Frequency	220-240V/50Hz; 110-120V/60Hz	220-240V/50Hz; 110-120V/60Hz
Cooling System	Compressor	Compressor
Temp. Range	5-18 °C	5-18 °C
Unit Dimension (mm)	430*450*740	495*430*848
Packing Dimension (mm)	465*500*765	535*465*880
Weight (kg)	21.3	27
Loading Quantity (40HQ)	345	320



Model	DSJ-128B7
Total Capacity	128 Liters / 45 Bottles
Voltage/Frequency	220-240V/50Hz; 110-120V/60Hz
Cooling System	Compressor
Temp. Range	5-18 °C
Unit Dimension (mm)	495*565*848
Packing Dimension (mm)	535*605*880
Weight (kg)	34
Loading Quantity (40HQ)	240

CREATE YOUR LIFE



CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances



Thermoelectric

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

2





Model	DSL-40EB7(C)	DSL-48EB7
Total Capacity(L)	40	48
Cooling System	Thermoelectric	Thermoelectric
Certification	ROHS/CCC/CE/CB/SASO	ETL/CE/ROHS/SAA
Product(W*D*H)(mm)	460 x 495 x 585	430*480*510
Packaging(W*D*H)(mm)	405 x 443 x 545	460*510*535
Weight(kg)	14.2	12.5
Loading Quantity (40HQ)	488	548



Model	DSL-48EB7 (C)	DSL-24EB7(B)
Total Capacity(L)	48	24
Cooling System	Thermoelectric	Thermoelectric
Certification	ETL/ROHS/CCC/CE/CB/SAA	ETL/CE/ROHS
Product(W*D*H)(mm)	430*480*510	380*380*475
Packaging(W*D*H)(mm)	460*510*535	430*470*525
Weight(kg)	12.2	9.2
Loading Quantity (40HQ)	548	675



Model	DSS-24EB7(B)	DSL-28EB7(B)
Total Capacity(L)	24	28
Cooling System	Thermoelectric	Thermoelectric
Certification	ETL/CE/ROHS	ETL/CE/ROHS
Product(W*D*H)(mm)	380*380*475	380*380*475
Packaging(W*D*H)(mm)	430*470*525	430*470*525
Weight(kg)	10	9.2
Loading Quantity (40HQ)	675	675



Model	DSL-32EB7(B)	DSS-32EB7(B)
Total Capacity(L)	32	32
Cooling System	Thermoelectric	Thermoelectric
Certification	ETL/CE/ROHS	ETL/CE/ROHS
Product(W*D*H)(mm)	380*445*475	380*445*475
Packaging(W*D*H)(mm)	430*525*525	430*515*520
Weight(kg)	11	11
Loading Quantity (40HQ)	615	615



Model	DSL-36EB7(B)	DSL-40EB7(B)
Total Capacity(L)	36	40
Cooling System	Thermoelectric	Thermoelectric
Certification	ETL/CE/ROHS	ETL/CE/ROHS
Product(W*D*H)(mm)	380*445*475	405*434*545
Packaging(W*D*H)(mm)	430*510*520	460*495*585
Weight(kg)	11	11
Loading Quantity (40HQ)	615	549



Model	DSS-40EB7(B)	DSL-40EB7(BG)
Total Capacity(L)	40	40
Cooling System	Thermoelectric	Thermoelectric
Certification	ETL/CE/ROHS	ETL/CE/ROHS
Product(W*D*H)(mm)	405*434*545	460 x 490 x 537
Packaging(W*D*H)(mm)	460*495*585	402 x 490 x 585
Weight(kg)	11	14.9
Loading Quantity (40HQ)	549	484



Model	DSL-50EB7(BG)	DSL-65EB7 (C)
Total Capacity(L)	50	65
Cooling System	Thermoelectric	Thermoelectric
Certification	ETL/CE/ROHS	ETL/ROHS/CCC/CE/CB
Product(W*D*H)(mm)	460 x 540x 585	474*445*650
Packaging(W*D*H)(mm)	402 x 487 x 537	520*490*665
Weight(kg)	16	17.5
Loading Quantity (40HQ)	440	364



Model	DSL-70EB7
Total Capacity(L)	70
Cooling System	Thermoelectric
Certification	CB/ETL/CE/SAA
Product(W*D*H)(mm)	430*520*740
Packaging(W*D*H)(mm)	465*550*780
Weight(kg)	15.5
Loading Quantity (40HQ)	361